



## Material Safety Data Sheet

### Acetic Acid Solution

#### SECTION 1.1 – PRODUCT IDENTIFICATION

<b>Product Name</b>	: Acetic Acid, 5%
<b>Molecular Formula</b>	: Not applicable.
<b>Molecular Weight</b>	: Not applicable.
<b>CAS No.</b>	: Mixture

#### SECTION: 1.2 – COMPANY IDENTIFICATION

**Company Name:** Indenta Chemicals (India) Pvt. Ltd.

**Address:** 117, The Summit Business Bay, Opp Cinemax, Off. Sir M.V. Road, Near WEH Metro Station, Andheri (E), Mumbai 400 093, India

**Telephone #:** +91-22-26849600

**Fax #:** +91-22-26849060

#### SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Name	CAS #	% by Weight
Acetic acid	64-19-7	5
Water	7732-18-5	95

**Toxicological Data on Ingredients:** Acetic acid: ORAL (LD50): Acute: 3310 mg/kg [Rat]. 4960 mg/kg [Mouse]. 3530 mg/kg [Rat]. DERMAL (LD50): Acute: 1060 mg/kg [Rabbit]. VAPOR (LC50): Acute: 5620 ppm 1 hours [Mouse].

#### SECTION 3: HAZARD IDENTIFICATION

**Potential Acute Health Effects:** Hazardous in case of skin contact (irritant), of eye contact (irritant), inhalation (irritant). Slightly hazardous in case of skin contact (permeator), of ingestion. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath.

**Potential Chronic Health Effects:** CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Acetic acid]. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.

#### SECTION 4: FIRST AID MEASURES

**Eye Contact:** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

**Skin Contact:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

**Serious Skin Contact:** Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

**Serious Inhalation:** Not available.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION 5: FIRE AND EXPLOSION DATA

---

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** Not applicable.

**Explosion Hazards in Presence of Various Substances:** Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:** Not applicable.

**Special Remarks on Fire Hazards:** Not available.

**Special Remarks on Explosion Hazards:** Acetic acid vapors may form explosive mixtures with air. Reactions between acetic acid and the following materials are potentially explosive: 5-azidotetrazole, bromine pentafluoride, chromium trioxide, hydrogen peroxide, potassium permanganate, sodium peroxide, and phosphorus trichloride. Dilute acetic acid and dilute hydrogen can undergo an exothermic reaction if heated, forming peracetic acid which is explosive at 110 degrees C. Reaction between chlorine trifluoride and acetic acid is very violent, sometimes explosive. (Acetic acid)

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

**Large Spill:** Absorb with an inert material and put the spilled material in an appropriate waste disposal. Neutralize the residue with a dilute solution of sodium carbonate. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

## SECTION 7: HANDLING AND STORAGE

---

**Precautions:** Do not ingest. Do not breathe gas/fumes/ vapor/spray. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact

with skin and eyes.

**Storage:** Keep container tightly closed. Keep container in a cool, well-ventilated area.

## SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

---

**Engineering Controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

**Personal Protection:** Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

**Personal Protection in Case of a Large Spill:** Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** Acetic acid TWA: 10 STEL: 15 (ppm) [Australia] TWA: 25 STEL: 27 (mg/m<sup>3</sup>) [Australia] TWA: 10 STEL: 15 (ppm) from NIOSH TWA: 25 STEL: 37 (mg/m<sup>3</sup>) from NIOSH TWA: 10 STEL: 15 (ppm) [Canada] TWA: 26 STEL: 39 (mg/m<sup>3</sup>) [Canada] TWA: 25 STEL: 37 (mg/m<sup>3</sup>) TWA: 10 STEL: 15 (ppm) from ACGIH (TLV) [United States] [1999] TWA: 10 (ppm) from OSHA (PEL) [United States] TWA: 25 (mg/m<sup>3</sup>) from OSHA (PEL) [United States] Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**Physical state and appearance:** Liquid.

**Odor:** Acetic acid. (Strong.)

**Taste:** Acid. (Strong.)

**Molecular Weight:** Not applicable.

**Color:** Clear Colorless.

**pH (1% soln/water):** Acidic.

**Boiling Point:** The lowest known value is 100°C (212°F) (Water). Weighted average: 100.91°C (213.6°F)

**Melting Point:** May start to solidify at 16.6°C (61.9°F) based on data for: Acetic acid.

**Critical Temperature:** The lowest known value is 321.67°C (611°F) (Acetic acid).

**Specific Gravity:** Weighted average: 1 (Water = 1)

**Vapor Pressure:** The highest known value is 2.3 kPa (@ 20°C) (Water). Weighted average: 2.26 kPa (@ 20°C)

**Vapor Density:** The highest known value is 2.07 (Air = 1) (Acetic acid). Weighted average: 0.69 (Air = 1)

**Volatility:** Not available.

**Odor Threshold:** The highest known value is 0.48 ppm (Acetic acid)

**Water/Oil Dist. Coeff.:** The product is more soluble in water.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** Partially dispersed in methanol, diethyl ether, n-octanol. See solubility in water, methanol, diethyl ether, n-octanol, acetone.

**Solubility:** Easily soluble in cold water, hot water. Partially soluble in methanol, diethyl ether, n-octanol, acetone.

## SECTION 10: STABILITY AND REACTIVITY

---

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials

**Incompatibility with various substances:** Slightly reactive to reactive with oxidizing agents, reducing agents, metals, acids, alkalis.

**Corrosivity:** Corrosive in presence of zinc. Slightly corrosive in presence of steel, of aluminum, of copper, brass Non-corrosive in presence of glass, of stainless steel(304), of stainless steel(316).

**Special Remarks on Reactivity:** Reacts violently with strong oxidizing agents, acetaldehyde, and acetic anhydride.

Material can react with metals, strong bases, amines, carbonates, hydroxides, phosphates, many oxides, cyanides, sulfides, chromic acid, nitric acid, hydrogen peroxide, carbonates, ammonium nitrate, ammonium thiosulfate, chlorine trifluoride, chlorosulfonic acid, perchloric acid, permanganates, xylene, oleum, potassium hydroxide, sodium hydroxide, phosphorus isocyanate, ethylenediamine, ethyleneimine. (Acetic acid)

**Special Remarks on Corrosivity:** Not available.

**Polymerization:** Will not occur.

## SECTION 11: TOXICOLOGICAL INFORMATION

---

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation.

**Toxicity to Animals:** Acute oral toxicity (LD50): 66200 mg/kg (Rat) (Calculated value for the mixture). Acute dermal toxicity (LD50): 21200 mg/kg (Rabbit) (Calculated value for the mixture).

**Chronic Effects on Humans:** MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Acetic acid].

**Other Toxic Effects on Humans:** Hazardous in case of skin contact (irritant), of eye contact), of inhalation (lung irritant). Slightly hazardous in case of ingestion.

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material and may cause reproductive effects based on animal data. No human data found. (Acetic acid)

**Special Remarks on other Toxic Effects on Humans:** Acute Potential Health Effects: Skin: causes skin irritation with redness and pain. Eyes: causes eye irritation with redness, pain and tearing. Inhalation: Causes respiratory tract and mucous membrane irritation with coughing, dyspnea, thoracic pain. May cause bronchopneumonia, chemical pneumonitis, pulmonary edema. May affect behavior/central nervous system and cause central nervous system depression with headache, nausea, vomiting. Ingestion: Ingestion of large amounts may cause gastrointestinal (digestive) tract irritation with nausea, diarrhea, abdominal pain. May affect urinary system (albuminuria, hemoglobinuria, anuria, uremia kidney damage) Chronic Potential Health Effects: Ingestion and Inhalation: Prolonged or p. 5 repeated ingestion of large doses may affect behavior, liver, and metabolism (weight loss). Prolonged or repeated inhalation may cause pharyngitis, chronic bronchitis, and may affect blood (changes in leukocyte count), and urinary system (kidney damage) Skin: Prolonged or repeated skin contact may cause irritation or dermatitis, hyperkeratosis. Eyes: Prolonged or repeated eye contact may cause conjunctivitis.

## SECTION 12: ECOLOGICAL INFORMATION

---

**Ecotoxicity:** Not available.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATION

---

**Waste Disposal:** Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14: TRANSPORT INFORMATION

---

**DOT Classification:** Not a DOT controlled material (United States).

**Identification:** Not applicable.

**Special Provisions for Transport:** Not applicable

**SECTION 15: OTHER REGULATORY INFORMATION**

---

**Federal and State Regulations:**

New York release reporting list: Acetic acid Rhode Island RTK hazardous substances: Acetic acid Pennsylvania RTK: Acetic acid Florida: Acetic acid Minnesota: Acetic acid Massachusetts RTK: Acetic acid New Jersey: Acetic acid California Director's

**List of Hazardous Substances:** Acetic Acid TSCA 8(b) inventory: Acetic acid; Water CERCLA: Hazardous substances.: Acetic acid: 5000 lbs. (2268 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

**Other Classifications:**

**WHMIS (Canada):** CLASS D-2B: Material causing other toxic effects (TOXIC).

**DSCL (EEC):** R36/37/38- Irritating to eyes, respiratory system and skin. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

**HMIS (U.S.A.):**

**Health Hazard:** 2

**Fire Hazard:** 0

**Reactivity:** 0

**Personal Protection:**

**National Fire Protection Association (U.S.A.):**

**Health:** 2

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:** Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles

**SECTION 16: ADDITIONAL INFORMATION**

---

This information is provided for documentation purposes only.

The information contained in this Certificate of Analysis and Material Safety Data Sheet is obtained from current and reliable sources. The information contained herein is true and to the best of Indenta Chemicals (India) Pvt. Ltd. knowledge. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any Laws or Regulation. Final determination of the suitability of the material is the sole responsibility of the user. Customers should purchase products from Indenta Chemicals (India) Pvt. Ltd. with the clear understanding that all products must be used at the customer's own discretion and only after referencing Material Safety Data Sheets (MSDS) and all other relevant technical information specific to the product. Indenta Chemicals (India) Pvt. Ltd. shall not be held responsible for any damages to property or for any adverse physical effects (including injury or bodily harm) caused by insufficient knowledge or the improper use of a product. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As with any manufacturing process, Indenta Chemicals (India) Pvt. Ltd. strongly recommends small lab scale testing for evaluation purposes prior to full commercial manufacturing. The information on the Indenta Chemicals (India) Pvt. Ltd. website is obtained from current and reliable sources but makes no representation as to its comprehensiveness or accuracy. Nothing contained herein should be considered as a recommendation by Indenta Chemicals (India) Pvt. Ltd. as to the fitness for any use. As the ordinary or otherwise use(s) of this product is outside the control of Indenta Chemicals (India) Pvt. Ltd., no representation or warranty, expressed or implied is made as to the effect(s) of such use(s) (including damage or injury), or the results obtained. The liability of Indenta Chemicals (India) Pvt. Ltd. is limited to the value of the goods and does not include any consequential loss. Indenta Chemicals (India) Pvt. Ltd. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon.