



## Material Safety Data Sheet Aluminum Sulfate

### SECTION 1.1 – PRODUCT IDENTIFICATION

<b>Product Name</b>	:	Aluminum Sulfate
<b>Molecular Formula</b>	:	$Al_2(SO_4)_3 \cdot (14-18)H_2O$
<b>Molecular Weight</b>	:	342.14 g/mole
<b>CAS No.</b>	:	7784-31-8

### SECTION: 1.2 – COMPANY IDENTIFICATION

**Company Name:** Indenta Chemicals (India) Pvt. Ltd.

**Address:** 117, The Summit Business Bay, Opp Cinemax, Off. Sir M.V. Road, Near WEH Metro Station, Andheri (E), Mumbai 400 093, India

**Telephone #:** +91-22-26849600

**Fax #:** +91-22-26849060

### SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Name	CAS #	% by Weight
Aluminum Sulfate, Hydrated (ACS & FCC)	7784-31-8	100

**Toxicological Data on Ingredients:** Aluminum Sulfate, Hydrated (ACS & FCC): ORAL (LD50): Acute: >9000 mg/kg [Mouse]. >9000 mg/kg [Rat].

### SECTION 3: HAZARD IDENTIFICATION

**Potential Acute Health Effects:** Hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation (lung irritant). Slightly hazardous in case of ingestion.

**Potential Chronic Health Effects:** CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Reproductive system/toxin/male [SUSPECTED]. p. 2 The substance may be toxic to the reproductive system, mucous membranes, skin, eyes, Urinary System. Repeated or prolonged exposure to the substance can produce target organs damage.

### SECTION 4: FIRST AID MEASURES

**Eye Contact:** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.

**Skin Contact:** In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes

before reuse. Get medical attention.

**Serious Skin Contact:** Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Serious Inhalation:** Not available.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION 5: FIRE AND EXPLOSION DATA

---

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** Not applicable.

**Explosion Hazards in Presence of Various Substances:** Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:** Not applicable.

**Special Remarks on Fire Hazards:**

It may burn, but it will not ignite. Fire may produce irritating, corrosive and/or toxic gases.

**Special Remarks on Explosion Hazards:** Not available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**Small Spill:** Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

**Large Spill:** Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

## SECTION 7: HANDLING AND STORAGE

---

**Precautions:** Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents.

**Storage:** Keep container tightly closed. Keep container in a cool, well-ventilated area.

## SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

---

**Engineering Controls:** Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

**Personal Protection:** Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

**Personal Protection in Case of a Large Spill:** Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be

sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** TWA: 2 (mg (Al)/m) from ACGIH (TLV) [United States] TWA: 2 (mg (Al)/m) [United Kingdom (UK)]

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**Physical state and appearance:** Solid. (Crystals solid.)

**Odor:** Odorless.

**Taste:** Sweet. Mildly Astringent.

**Molecular Weight:** 342.14 g/mole + (14-18) H<sub>2</sub>O

**Color:** White.

**PH (1% soln/water):** Not available.

**Boiling Point:** Not available.

**Melting Point:** Not available.

**Critical Temperature:** Not available.

**Specific Gravity:** Density: 1.69 @ 17 deg. C(Water = 1)

**Vapor Pressure:** Not applicable.

**Vapor Density:** Not available.

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in hot water. Soluble in cold water. It will hydrolyze in water to form sulfuric acid. Insoluble in alcohol.

**Solubility in water:** 86.9 g/ 100 ml @0 deg. C; 1104 g/100 ml @ 100 deg. C

## SECTION 10: STABILITY AND REACTIVITY

---

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, moisture

**Incompatibility with various substances:** Reactive with oxidizing agents.

**Corrosivity:** Non-corrosive in presence of glass.

**Special Remarks on Reactivity:** It melts when gradually heated; At 250 deg. C, it loses its water.

**Special Remarks on Corrosivity:** May corrode metals in the presence of moisture

**Polymerization:** Will not occur.

## SECTION 11: TOXICOLOGICAL INFORMATION

---

**Routes of Entry:** Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD<sub>50</sub>): >9000 mg/kg [Rat].

**Chronic Effects on Humans:** DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Reproductive system/toxin/male [SUSPECTED]. May cause damage to the following organs: the reproductive system, mucous membranes, skin, eyes, Urinary System.

**Other Toxic Effects on Humans:** Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Slightly hazardous in case of ingestion.

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic). May cause adverse reproductive effects based on animal test data

**Special Remarks on other Toxic Effects on Humans:**

Acute Potential Health Effects: Skin: Causes skin irritation, particularly if moisture is present. Symptoms include redness, itching, and pain Eyes: Causes eye irritation. Symptoms include redness and pain. Inhalation: Causes mouth and respiratory tract irritation. Symptoms may include coughing, shortness of breath. It may cause airway constrictin in rare instances. Symptoms are usually transient. Ingestion: May cause irritation to the gastrointestinal tract. Symptoms may include cramping, nausea, vomiting, diarrhea. Ingestion also produces a feeling of dryness and puckering of the mucous membranes of the mouth and throat. It may affect behavior/central nervous system and cause ataxia and seizures. High blood concentrations of aluminum may cause aluminum-induced encephalopathy with confusion, lethargy, respiratory depression, cognitive impairment, dysarthria, asterixis, seizure, coma. It may also affect the liver. Individuals with renal failure may more readily accumulate toxic levels of aluminum which can result in encephalopathy and seizures. Chronic Potential Health Effects: Skin: Repeated or prolonged skin contact may cause irritation, especially if moisture is present. Ingestion: Repeated or prolonged ingestion may affect metabolism, urinary system, blood (changes in serum composition - e.g. TP, bilirubin, cholesterol), skeletal system, and brain (degenerative changes). High blood concentrations of aluminum may cause aluminum to be deposited in the bones. Accumulation of aluminum in the bone appears to reduce the positive effects of vitamin D adn may prevent calcium deposition into the bones. The prevention of calcium deposition leads to the return of the calcium to the blood. This may cause bone/skeletal abnormalities, osteomalacia, painful joints. The elevated serum calcium levels in turn inhibit the release of parathyroid hormone by the parathyroid glands.

## SECTION 12: ECOLOGICAL INFORMATION

---

**Ecotoxicity:** Ecotoxicity in water (LC50): 423 mg/l 24 hours [Fish (Goldfish)]. 88 ppm 96 hours [Fish (fathead minnow)]. 75 ppm 96 hours [Fish (bluegill sunfish)]. >100 ppm 96 hours [Daphnia].

**BOD5 and COD:** BOD-5: 0.34-0.88 g oxygen/g

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The products of degradation are less toxic than the product itself.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATION

---

### Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14: TRANSPORT INFORMATION

---

**DOT Classification:** CLASS 3: Flammable liquid. Class 8: Corrosive material

**Identification:** Acetic Acid, Glacial UNNA: 2789 PG: II

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

---

**Federal and State Regulations:** Connecticut hazardous material survey.: Aluminum sulfate anhydrous (CAS no. 10043-01-3) Illinois chemical safety act: Aluminum sulfate anhydrous (CAS no. 10043-01-3) New York release reporting list: Aluminum sulfate anhydrous (CAS no. 10043-01-3) Pennsylvania RTK: Aluminum sulfate anhydrous (CAS no. 10043-01-3) Massachusetts RTK: Aluminum sulfate anhydrous (CAS no. 10043-01-3) Massachusetts spill list: Aluminum sulfate anhydrous (CAS no. 10043-01-3) New Jersey: Aluminum sulfate anhydrous (CAS no. 10043-01-3) New Jersey spill list: Aluminum sulfate anhydrous (CAS no. 10043-01-3) Louisiana spill reporting: Aluminum sulfate anhydrous (CAS no. 10043-01-3) California Director's List of Hazardous Substances: Aluminum sulfate anhydrous (CAS no. 10043-01-3)- CERCLA: Hazardous substances.: Aluminum sulfate anhydrous (CAS no. 10043-01-3)-: 5000 lbs. (2268 kg). No Regulatory information found for Aluminum sulfate hydrate (CAS no. 17927-65-0)

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

**Other Classifications:**

**WHMIS (Canada):** CLASS D-2B: Material causing other toxic effects (TOXIC). Aluminum Sulfate anhydrous (CAS no. 10043-01-3) is on the Canadian DSL. Aluminum Sulfate hydrate (Cas no. 17927-65-0) is not on the Canadian DSL.

**DSCL (EEC):** R36/37/38- Irritating to eyes, respiratory system and skin. S24/25- Avoid contact with skin and eyes. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

**HMIS (U.S.A.):**

**Health Hazard:** 2

**Fire Hazard:** 0

**Reactivity:** 0

**Personal Protection:** E

**National Fire Protection Association (U.S.A.):**

**Health:** 2

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:** Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

## **SECTION 16: ADDITIONAL INFORMATION**

---

This information is provided for documentation purposes only.

The information contained in this Certificate of Analysis and Material Safety Data Sheet is obtained from current and reliable sources. The information contained herein is true and to the best of Indenta Chemicals (India) Pvt. Ltd. knowledge. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any Laws or Regulation. Final determination of the suitability of the material is the sole responsibility of the user. Customers should purchase products from Indenta Chemicals (India) Pvt. Ltd. with the clear understanding that all products must be used at the customer's own discretion and only after referencing Material Safety Data Sheets (MSDS) and all other relevant technical information specific to the product. Indenta Chemicals (India) Pvt. Ltd. shall not be held responsible for any damages to property or for any adverse physical effects (including injury or bodily harm) caused by insufficient knowledge or the improper use of a product. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As with any manufacturing process, Indenta Chemicals (India) Pvt. Ltd. strongly recommends small lab scale testing for evaluation purposes prior to full commercial manufacturing. The information on the Indenta Chemicals (India) Pvt. Ltd. website is obtained from current and reliable sources but makes no representation as to its comprehensiveness or accuracy. Nothing contained herein should be considered as a recommendation by Indenta Chemicals (India) Pvt. Ltd. as to the fitness for any use. As the ordinary or otherwise use(s) of this product is outside the control of Indenta Chemicals (India) Pvt. Ltd., no representation or warranty, expressed or implied is made as to the effect(s) of such use(s) (including damage or injury), or the results obtained. The liability of Indenta Chemicals (India) Pvt. Ltd. is limited to the value of the goods and does not include any consequential loss. Indenta Chemicals (India) Pvt. Ltd. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon.